

---

# **Apache Solr for TYPO3 - Solrconsole - Less monkey business more time for the important things**

*Release 12.0.1*

**Benni Mack, Jens Jacobsen, Timo Hund**

2024-06-18 07:08



# CONTENTS

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	What does it do? . . . . .	1
1.2	Development and Partnership . . . . .	1
<b>2</b>	<b>Command Reference</b>	<b>3</b>
2.1	Solr Connection . . . . .	3
2.1.1	solr:connection:get . . . . .	3
2.2	Solr Queue . . . . .	3
2.2.1	solr:queue:delete . . . . .	3
2.2.2	solr:queue:get . . . . .	4
2.2.3	solr:queue:index . . . . .	4
2.2.4	solr:queue:initialize . . . . .	4
2.2.5	solr:queue:progress . . . . .	5
2.2.6	solr:queue:reset-errors . . . . .	5
2.3	Solr Index . . . . .	5
2.3.1	solr:index:get . . . . .	6
2.3.2	solr:index:delete . . . . .	6
2.3.3	solr:index:verify . . . . .	7
2.4	Solrfal Queue . . . . .	7
2.4.1	solrfal:queue:delete . . . . .	7
2.4.2	solrfal:queue:get . . . . .	8
2.4.3	solrfal:queue:index . . . . .	9
2.4.4	solrfal:queue:progress . . . . .	9
2.4.5	solrfal:queue:reset-errors . . . . .	9
<b>3</b>	<b>How to Get Involved</b>	<b>11</b>
<b>4</b>	<b>Releases</b>	<b>13</b>
4.1	Apache Solr for TYPO3 - Console tools 12.0 . . . . .	13
4.1.1	Release 12.0.1 . . . . .	13
4.1.2	Release 12.0.0 . . . . .	13
4.1.3	Contributors . . . . .	13
4.2	Apache Solr for TYPO3 - Console tools 11.0 . . . . .	15
4.2.1	New in this release . . . . .	16
4.2.2	Contributors . . . . .	16
4.3	Apache Solr for TYPO3 - Console tools 10.0 . . . . .	17
4.3.1	New in this release . . . . .	17
4.3.2	Contributors . . . . .	18
4.4	Archive . . . . .	19
4.4.1	Apache Solr for TYPO3 - Console tools 4.0 . . . . .	19
4.4.2	Apache Solr for TYPO3 - Console tools 3.0 . . . . .	21
4.4.3	Apache Solr for TYPO3 - Console tools 2.0 . . . . .	24
4.4.4	Apache Solr for TYPO3 - Console tools 1.0 . . . . .	26
	<b>Index</b>	<b>29</b>



## INTRODUCTION

### 1.1 What does it do?

The intention of “EXT:solrconsole” is to provide a powerful tool around EXT:solr and EXT:solrfal that allows you to do common maintenance tasks from the command line.

In combination with automated deployments you can then e.g. do common tasks after a deployment or with regular running scripts.

### 1.2 Development and Partnership

The base extension EXT:solr is developed in an open source way and the source code is completely available on GitHub.

To make the development possible you can join a partner ship with dkd. By joining the partner program you have the following benefits:

- You support the further development on Apache Solr for TYPO3
- **You get access to addons that are not public available**
  - EXT:solrconsole - Command line interface
  - EXT:solrdebugtools - Debugtools for Apache Solr for TYPO3
  - EXT:solrfal - Indexing of files from FAL (TYPO3 File Abstraction Layer)
- You can be mentioned as a sponsor on <http://www.typo3-solr.com>
- You can included support based on your subscription

By the financial invest of our partners it is possible to keep this extension uptodate and integrate great new features. If you like this extension please think about to become a partner as well!

If you are interested to become a partner visit <http://www.typo3-solr.com> or call dkd +49 (0)69 - 247 52 18-0.



## COMMAND REFERENCE

The following pages summarize all available commands with all available options.

### 2.1 Solr Connection

This section describes all solr index related commands (“solr:connection:\*”)

- *solr:connection:get*

#### 2.1.1 solr:connection:get

**Command** solr:connection:get

**Since** 1.0

The command “solr:connection:get” allows you to retrieve a list of all connections by site.

### 2.2 Solr Queue

This section describes all solr queue related commands (“solr:queue:\*”)

- *solr:queue:delete*
- *solr:queue:get*
- *solr:queue:index*
- *solr:queue:initialize*
- *solr:queue:progress*
- *solr:queue:reset-errors*

#### 2.2.1 solr:queue:delete

**Command** solr:queue:delete

**Options** –sites, –configurations, –item-types, –item-uids, –uids, –no-interaction

**Since** 1.0

The command “solr:queue:delete” allows you to delete items from the index queue.

By default it deletes **all** items from the queue. The deleted items can be filtered by passing the filter options.

**Note:** This command only deletes the item from the index queue, not from the solr index itself. This needs to be done with the command “solr:index:delete”.

**Options:**

Options	Short-cut	Default	Description	Example
-sites	-s	all sites	Comma separated list of siteroot uids.	-s 1,4
-configurations	-c	all configurations	Comma separated list of queue configuration.	-c mypages
-item-types	-t	all types	Comma separated list of item types(tables).	-t pages
-item-uids	-i	all item uids	Comma separated list of types(db tables).	-i 11
-uids	-u	all uids	Comma separated list of queue item uids	-u 4711
-no-interaction	-n	0	Skips all confirmations, e.g for automation.	-n

```
typo3cms solr:queue:delete -t tx_news_domain_model_news -i 12
```

## 2.2.2 solr:queue:get

**Command** solr:queue:get

**Options** -sites, -configurations, -item-types, -item-uids, -uids, -no-interaction, -page, -per-page

**Since** 1.0

The command “solr:queue:get” allows you to retrieve items from the queue to see their data and state.

By default it retrieves **all** items from the queue.

**Options:**

Options	Short-cut	Default	Description	Example
-sites	-s	all sites	Comma separated list of siteroot uids.	-s 1,4
-configurations	-c	all configurations	Comma separated list of queue configuration.	-c mypages
-item-types	-t	all types	Comma separated list of item types(tables).	-t pages
-item-uids	-i	all item uids	Comma separated list of types(db tables).	-i 11
-uids	-u	all uids	Comma separated list of queue item uids	-u 4711
-page		page of output	The page	-page 2
-per-page		count per page	Items per page that should be shown	-per-page 20
-no-interaction	-n	0	Skips all confirmations, e.g for automation.	-n

```
typo3cms solr:queue:get -t tx_news_domain_model_news --page 2 --per-page 20
```

## 2.2.3 solr:queue:index

**Command** solr:queue:index

**Options** -sites, -count, -no-interaction

The command “solr:queue:index” allows you to process the index queue and index a given amount of items to the solr index.

**Options:**

Options	Shortcut	Default	Description	Example
-sites	-s	all sites	Comma separated list of siteroot uids.	-s 1,4
-amount	-a	10	Amount of items that should be index.	-a 100
-no-interaction	-n	0	Skips all confirmations, e.g for automation.	-n

## 2.2.4 solr:queue:initialize

**Command** solr:queue:initialize



**Options** `--sites`, `--configurations`, `--no-interaction`

**Since** 1.0

The command “`solr:queue:initialize`” allows you to initialize the index queue for a set of sites and index queue configurations.

By default it initializes the queue for **all** sites and **all** configurations, by settings `--sites` or `--configurations` you can limit the initialized items.

**Options:**

Options	Shortcut	Default	Description	Example
<code>--sites</code>	<code>-s</code>	all sites	Comma separated list of siteroot uids.	<code>-s 1,4</code>
<code>--configurations</code>	<code>-c</code>	all configurations	Comma separated list of queue configuration.	<code>-c pages</code>
<code>--no-interaction</code>	<code>-n</code>	0	Skips all confirmations, e.g for automation.	<code>-n</code>

Example (Add’s all items from the news configuration of site 1 without confirmation to the index queue):

```
typo3cms solr:queue:initialize -s 1 -c news -n
```

## 2.2.5 solr:queue:progress

**Command** `solr:queue:initialize`

**Options** `--sites`

**Since** 1.0

Shows the indexing progress of several sites on the command line.

**Options:**

Options	Shortcut	Default	Description	Example
<code>--sites</code>	<code>-s</code>	all sites	Comma separated list of siteroot uids.	<code>-s 1,4</code>
<code>--no-interaction</code>	<code>-n</code>	0	Skips all confirmations, e.g for automation.	<code>-n</code>

## 2.2.6 solr:queue:reset-errors

**Command** `solr:queue:reset-errors`

**Options** `--sites`

**Since** 1.0

Resets the error flag for items in the queue. When the error flag was reset, the item will be indexed again.

**Options:**

Options	Shortcut	Default	Description	Example
<code>--sites</code>	<code>-s</code>	all sites	Comma separated list of siteroot uids.	<code>-s 1,4</code>
<code>--no-interaction</code>	<code>-n</code>	0	Skips all confirmations, e.g for automation.	<code>-n</code>

## 2.3 Solr Index

This section describes all solr index related commands(“`solr:index:*`”)

- `solr:index:get`
- `solr:index:delete`
- `solr:index:verify`

### 2.3.1 solr:index:get

**Command** solr:index:get

**Options** -sites, -types, -uids, -ids, -language, -no-interaction, -page, -per-page

**Since** 1.0

The command “solr:index:get” allows you to retrieve items from the solr index to see the stored data.

By default it retrieves **all** items from the given core defined by the language you selected (defaults to the site’s default language).

**Options:**

Options	Short-cut	Default	Description	Example
-sites	-s	all sites	Comma separated list of siteroot uids.	-s 1,4
-types	-t	all types	Comma separated list of types(tables).	-t pages,tx_news_domain_model_news
-uids	-u	all uids	Comma separated list of record uids	-u 4711
-ids	-i	all document ids	Comma separated list of document ids.	-i ca4dd635f094303a334959993f97549867f24d62/pages/25/0/1/
-language	-L	0	Language uid	-L 1
-page		page of output	The page	-page 2
-per-page		count per page	Items per page that should be shown	-per-page 20
-no-interaction	-n	0	Skips all confirmations, e.g for automation.	-n

```
typo3cms solr:index:get -t tx_news_domain_model_news --page 2 --per-page 20
```

### 2.3.2 solr:index:delete

**Command** solr:index:delete

**Options** -sites, -types, -uids, -ids, -languages, -no-interaction

**Since** 1.0

The command “solr:index:delete” allows you to delete items from the solr index.

By default it deletes **all** items from the given core defined by the languages you selected (defaults to all of the site’s languages).

**Options:**

Options	Short-cut	Default	Description	Example
-sites	-s	all sites	Comma separated list of siteroot uids.	-s 1,4
-types	-t	all types	Comma separated list of types(tables).	-t pages,tx_news_domain_model_news
-uids	-u	all uids	Comma separated list of record uids	-u 4711
-ids	-i	all document ids	Comma separated list of document ids.	-i ca4dd635f094303a334959993f97549867f24d62/pages/25/0/1/
-languages	-L	all languages	Comma separated list of language uids.	-L 0,1
-no-interaction	-n	0	Skips all confirmations, e.g for automation.	-n

```
typo3cms solr:index:delete -t pages -u 45,42
```

### 2.3.3 solr:index:verify

**Command** solr:index:verify

**Options** -sites, -configurations, -languages, -no-interaction, -fix

**Since** 2.0.0

The command “solr:index:verify” allows you to verify items from the solr index with records from the database table.

By default it shows differences for the given types from the given core defined by the languages you selected (defaults to all of the site’s languages).

**Options:**

Options	Shortcut	Default	Description	Example
-sites	-s	all sites	Comma separated list of siteroot uids.	-s 1,4
-configurations	-c	all configurations	Comma separated list of queue configuration.	-c news
-languages	-L	all languages	Comma separated list of language uids.	-L 0,1
-no-interaction	-n	0	Skips all confirmations, e.g for automation.	-n
-fix	-F		Fix differences between solr and TYPO3	-F

```
typo3cms solr:index:verify -c news
```

## 2.4 Solrfal Queue

This section describes all solrfal queue related commands(“solrfal:queue:”)

- *solrfal:queue:delete*
- *solrfal:queue:get*
- *solrfal:queue:index*
- *solrfal:queue:progress*
- *solrfal:queue:reset-errors*

### 2.4.1 solrfal:queue:delete

**Command** solrfal:queue:delete

**Options** `-sites, -configurations, -context-names, -item-uids, -uids, -languages, -no-interaction`

**Since** 2.0

The command “solrfal:queue:delete” allows you to delete items from the file index queue.

By default it deletes **all** items from the file queue. The deleted items can be filtered by passing the filter options.

**Note:** This command only deletes the item from the file index queue, not from the solr index itself. This needs to be done with the command “solr:index:delete”.

**Options:**

Options	Short-cut	Default	Description	Example
<code>-sites</code>	<code>-s</code>	all sites	Comma separated list of siteroot uids.	<code>-s 1,4</code>
<code>-configurations</code>	<code>-c</code>	all configurations	Comma separated list of queue configuration.	<code>-c mypages</code>
<code>-context-names</code>	<code>-cn</code>	all contexts	Comma separated list of contexts (page, record, storage)	<code>-cn record</code>
<code>-item-uids</code>	<code>-i</code>	all item uids	Comma separated list of types(db tables).	<code>-i 11</code>
<code>-uids</code>	<code>-u</code>	all uids	Comma separated list of queue item uids	<code>-u 4711</code>
<code>-languages</code>	<code>-l</code>	all language uids	Comma separated list of language uids	<code>-l 1</code>
<code>-no-interaction</code>	<code>-n</code>	0	Skips all confirmations, e.g for automation.	<code>-n</code>

```
typo3cms solrfal:queue:delete -l 1 -s 2
```

## 2.4.2 solrfal:queue:get

**Command** `solrfal:queue:get`

**Options** `-sites, -configurations, -context-names, -item-uids, -uids, -languages, -no-interaction, -page, -per-page`

**Since** 2.0

The command “solrfal:queue:get” allows you to retrieve items from the file index queue to see their data and state.

By default it retrieves **all** items from the queue.

**Options:**

Options	Short-cut	Default	Description	Example
<code>-sites</code>	<code>-s</code>	all sites	Comma separated list of siteroot uids.	<code>-s 1,4</code>
<code>-configurations</code>	<code>-c</code>	all configurations	Comma separated list of queue configuration.	<code>-c mypages</code>
<code>-context-names</code>	<code>-cn</code>	all contexts	Comma separated list of contexts (page, record, storage)	<code>-cn record</code>
<code>-item-uids</code>	<code>-i</code>	all item uids	Comma separated list of types(db tables).	<code>-i 11</code>
<code>-uids</code>	<code>-u</code>	all uids	Comma separated list of queue item uids	<code>-u 4711</code>
<code>-page</code>		page of output	The page	<code>-page 2</code>
<code>-per-page</code>		count per page	Items per page that should be shown	<code>-per-page 20</code>
<code>-languages</code>	<code>-l</code>	all language uids	Comma separated list of language uids	<code>-l 1</code>
<code>-no-interaction</code>	<code>-n</code>	0	Skips all confirmations, e.g for automation.	<code>-n</code>

```
typo3cms solrfal:queue:get -s 1 --page 1 --per-page 20
```

### 2.4.3 solrfal:queue:index

**Command** solrfal:queue:index

**Options** `--sites`, `--count`, `--no-interaction`

**Since** 2.0

The command “solrfal:queue:index” allows you to process the file index queue and index a given amount of items to the solr index.

**Options:**

Options	Shortcut	Default	Description	Example
<code>--sites</code>	<code>-s</code>	all sites	Comma separated list of siteroot uids.	<code>-s 1,4</code>
<code>--amount</code>	<code>-a</code>	10	Amount of items that should be index.	<code>-a 100</code>
<code>--no-interaction</code>	<code>-n</code>	0	Skips all confirmations, e.g for automation.	<code>-n</code>

### 2.4.4 solrfal:queue:progress

**Command** solrfal:queue:initialize

**Options** `--sites`

**Since** 2.0

Shows the file indexing progress of several sites on the command line.

**Options:**

Options	Shortcut	Default	Description	Example
<code>--sites</code>	<code>-s</code>	all sites	Comma separated list of siteroot uids.	<code>-s 1,4</code>
<code>--no-interaction</code>	<code>-n</code>	0	Skips all confirmations, e.g for automation.	<code>-n</code>

### 2.4.5 solrfal:queue:reset-errors

**Command** solrfal:queue:reset-errors

**Options** `--sites`

**Since** 2.0

Resets the error flag for items in the file index queue. When the error flag was reset, the item will be indexed again.

**Options:**

Options	Shortcut	Default	Description	Example
<code>--sites</code>	<code>-s</code>	all sites	Comma separated list of siteroot uids.	<code>-s 1,4</code>
<code>--no-interaction</code>	<code>-n</code>	0	Skips all confirmations, e.g for automation.	<code>-n</code>



## HOW TO GET INVOLVED

There are many ways to get involved with Apache Solr for TYPO3:

- Submit bug reports and feature requests on [GitHub](#)
- Ask or help or answer questions in our [Slack channel](#)
- Go to [www.typo3-solr.com](http://www.typo3-solr.com) or call [dkd](#) to sponsor the ongoing development of Apache Solr for TYPO3

Support us by becoming an EB partner:

<http://www.typo3-solr.com/en/contact/>

or call:

+49 (0)69 - 2475218 0





## RELEASES

### 4.1 Apache Solr for TYPO3 - Console tools 12.0

#### 4.1.1 Release 12.0.1

This is a maintenance release for TYPO3 12.4 LTS, containing:

- [TASK] Simplify and automate release via CI by @dkd-friedrich
- [TASK] Add tests for documentation by @dkd-friedrich
- [TASK] Allow PHP 8.3+ by @dkd-friedrich

#### 4.1.2 Release 12.0.0

We are happy to release EXT:solrconsole 12.0.0. The focus of this release was the compatibility with TYPO3 12 LTS and EXT:solr v12.x.

##### New in this release

##### Support of TYPO3 12 LTS

With EXT:solrconsole 12.0 we provide the support of TYPO3 12 LTS and EXT:solr 12.

##### Improved solrfal integration

Commands related to solrfal are no longer registered if solrfal is not available, this avoids confusions and keeps the list of available commands simple.

##### TYPO3 testing framework 8 and PHPUnit 10

Test coverage is an important component in our eyes. With solrconsole 12 we rely on the TYPO3 testing framework 8 and PHPUnit 10, which already prepares us to a certain extent for the upcoming TYPO3 13.

##### SolrIndexDeleteCommand considers all languages by default

Since version 12 the SolrIndexDeleteCommand command considers the all languages by default, you have to use the languages option to restrict to a certain language. With option “languages” set to “0” the behaviour will match prior versions.

#### 4.1.3 Contributors

Like always this release would not have been possible without the help from our awesome community. Here are the contributors to this release.

(patches, comments, bug reports, reviews, ... in alphabetical order)

- Jens Jacobsen
- Markus Friedrich

- Rafael Kähm

Also a big thanks to our partners that have joined the Apache Solr EB für TYPO3 12 LTS (Feature) program:

- .hausformat
- 711media websolutions GmbH
- ACO Ahlmann SE & Co. KG
- AVM Computersysteme Vertriebs GmbH
- Ampack AG
- Amt der Oö Landesregierung
- Autorité des Marchés Financiers (Québec)
- b13 GmbH
- Beech IT
- CARL von CHIARI GmbH
- clickstorm GmbH Apache Solr EB für TYPO3 12 LTS (Feature)
- Connecta AG
- cosmoblond GmbH
- cron IT GmbH
- CS2 AG
- cyperfection GmbH
- digit.ly
- DMK E-BUSINESS GmbH
- DP-Medsystems AG
- DSCHOY GmbH
- Deutsches Literaturarchiv Marbach
- EB-12LTS-FEATURE
- F7 Media GmbH
- Forte Digital Germany GmbH
- FTI Touristik GmbH
- gedacht
- GPM Deutsche Gesellschaft für Projektmanagement e. V.
- Groupe Toumoro inc
- HEAD acoustics GmbH
- helhum.io
- Hochschule Koblenz \* Standort Remagen
- in2code GmbH
- Internezzo
- IW Medien GmbH
- jweiland.net
- keen GmbH
- KONVERTO AG

- Kassenärztliche Vereinigung Rheinland-Pfalz
- Kreis Euskirchen
- L.N. Schaffrath DigitalMedien GmbH
- LOUIS INTERNET GmbH
- Leuchtfeuer Digital Marketing GmbH
- Lingner Consulting New Media GmbH
- Macaw Germany Cologne GmbH
- Marketing Factory Consulting GmbH
- mehrwert intermediale kommunikation GmbH
- morbihan.fr \* Commande BDC\_99143\_202404081250
- ochschule Furtwangen
- pietzpluswild GmbH
- plan2net GmbH
- ProPotsdam GmbH
- Québec.ca gouv.qc.ca Apache Solr EB für TYPO3 12 LTS (Feature)
- Red Dot GmbH & Co. KG
- rocket-media GmbH & Co KG
- Schoene neue kinder GmbH
- Snowflake Productions GmbH Apache Solr EB für TYPO3 12 LTS (Feature)
- Stadtverwaltung Villingen-Schwenningen
- Stämpfli AG
- studio ahoi \* Weitenauer Schwardt GbR
- Systime/Gyldendal A/S
- THE BRETTINGHAMS GmbH
- Typoheads GmbH
- UEBERBIT GmbH
- Universität Regensburg
- VisionConnect.de
- WACON Internet GmbH
- webconsulting business services gmbh
- werkraum Digitalmanufaktur GmbH
- WIND Internet BV
- XIMA MEDIA GmbH
- wow! solution

## 4.2 Apache Solr for TYPO3 - Console tools 11.0

We are happy to release EXT:solrconsole 11.0.0. The focus of this release was the compatibility with TYPO3 11 LTS and EXT:solr v11.5.x.

## 4.2.1 New in this release

### [FEATURE] Verbose and non verbose output for \*:queue:progress commands

This feature makes the output of queue:progress less verbose and more concise by default.

```
Site 1 (solr-ddev-site.ddev.site) ERRORS:0
 0/77 [>oooooooooooooooooooooooooooo] 0%

Site 2 (2.solr-ddev-site.ddev.site) ERRORS:0
 0/34 [>oooooooooooooooooooooooooooo] 0%
```

### [BUGFIX] queue:progress output for multiple sites mixing domains with previous site

The output of the queue:progress command is now more clearer and does not confuse users by mixing the attributes of sites.

### [TASK] Standardize \*.php files header declaration

Since TYPO3 6.2 TYPO3 uses and recommends a simplified copyright notice, we should update our copyright notices as well. This commit updates the old copyright format, to ensure the new format is used. According to the TYPO3 coding guidelines the copyright notice should be placed before the namespace declaration. This commit adapts all declarations to ensure the right order.

Additionally needless namespace includes were removed and some test class names corrected.

### [TASK] Introduce service yaml

Introduce new service configuration for console commands. This replaces the old configuration file 'Commands.php'

### Small improvements and bugfixes

- [TASK] Fix linter issues :: part 1
- [BUGFIX] Fix type hinting issues not covered by tests
- [BUGFIX] Fix CI configuration

## 4.2.2 Contributors

Like always this release would not have been possible without the help from our awesome community. Here are the contributors to this release.

(patches, comments, bug reports, reviews, ... in alphabetical order)

- Lars Tode
- Markus Friedrich
- Rafael Kähm

Also a big thank you to our partners who have already concluded one of our new development participation packages such as Apache Solr EB for TYPO3 11 LTS (Feature), Apache Solr EB for TYPO3 10 LTS (Maintenance) or Apache Solr EB for TYPO3 9 ELTS (Extended):

- .hausformat GmbH
- ACO Ahlmann SE & Co. KG
- avenit AG
- b13 GmbH
- Cobytes B.V.
- cyperfection GmbH

- Earlybird GmbH & Co KG
- elancer-team GmbH
- GFE Media GmbH
- Hochschule Niederrhein
- in2code GmbH
- internezzo ag
- Intersim AG
- IW Medien GmbH
- L.N. Schaffrath DigitalMedien GmbH
- Leitgab Gernot
- LOUIS INTERNET GmbH
- Marketing Factory Consulting GmbH
- medien.de mde GmbH
- MEDIA::ESSENZ
- mehrwert intermediale kommunikation GmbH
- Neue Medien GmbH
- Provitex GmbH
- Proud Nerds
- Québec.ca
- SITE'NGO
- Stämpfli AG
- Studio 9 GmbH
- TOUMORØ
- we.byte GmbH
- wegewerk GmbH
- werkraum Digitalmanufaktur GmbH
- WIND Internet

## 4.3 Apache Solr for TYPO3 - Console tools 10.0

We are happy to release EXT:solrconsole 10.0.0. The focus of this release was the compatibility with TYPO3 10 LTS and EXT:solr v11.1.x.

**Note:** As we're planning to simplify the extension and dependency handling we're harmonize the extension version with TYPO3. So the next version of EXT:solrconsole is 10.0.0 and compatible with TYPO3 10 LTS and EXT:solr v 11.1.x.

### 4.3.1 New in this release

#### [TASK] Fix TYPO3 and EXT:Solr dependencies on current dev line

This change provides proper requirement constraints for EXT:solrconsole dependencies:

- EXT:solr >=11.1.0
- TYPO3 >=10.4.9

- helhum/typo3-console >=6.3.4

#### **[BUGFIX] solrfal:queue:progress command is not registered**

Command solrfal:queue:progress was not registered in previous versions of EXT:solrconsole.

#### **[FEATURE] Add command solr:index:flush**

The command solr:index:delete already deletes documents from a core that belong to that language/site/etc. But sometimes you want to flush the whole core e.g. to cleanup leftovers. The command solr:index:flush performs a deletion on all documents of a core.

#### **[BUGFIX] Ignore shortcut and access restricted pages on index:verify**

This change makes it possible to verify the pages properly. Previously following edge cases were not covered:

- The shortcut pages targeted to pages of same page tree, were assumed to be in index. Which is wrong since EXT:solr indexes the target pages only as is.
- The access restricted variants of Solr documents were considered as unique records, which is wrong. **NOTE:** EXT:solr console can not recognize missing access restricted variants.

#### **[TASK] Fix tests within solr-ddev-site**

This change allows running CI tests on solr-ddev-site or othe environments.

### **4.3.2 Contributors**

Like always this release would not have been possible without the help from our awesome community. Here are the contributors to this release.

(patches, comments, bug reports, reviews, ... in alphabetical order)

- Rafael Kähm

Also a big thanks to our partners that have joined the EB2021 program:

- +Pluswerk AG
- 711media websolutions GmbH
- Abt Sportsline GmbH
- ACO Severin Ahlmann GmbH & Co. KG
- AVM Computersysteme Vertriebs GmbH
- cosmoblond GmbH
- creativ clicks GmbH
- cron IT GmbH
- CS2 AG
- CW Media & Systems
- Earlybird GmbH & Co KG
- Earlybird GmbH & Co KG
- FLOWSITE GmbH
- form4 GmbH & Co. KG
- Getdesigned GmbH
- Granpasso Digital Strategy GmbH
- Ikanos GmbH

- internezzo ag
- Intersim AG
- Ion2s GmbH
- Leitgab Gernot
- mellowmessage GmbH
- Moselwal Digitalagentur UG (haftungsbeschränkt)
- network.publishing Möller-Westbunk GmbH
- OST Ostschweizer Fachhochschule
- Plan.Net Suisse AG
- Provitex GmbH
- punkt.de GmbH
- queo GmbH
- Rechnungshof
- Schoene neue kinder GmbH
- SIT GmbH
- SIZ GmbH
- Stämpfli AG
- Triplesense Reply Frankfurt
- TWT reality bytes GmbH
- visol digitale Dienstleistungen GmbH
- Web Commerce GmbH
- webconsulting business services gmbh
- webschuppen GmbH
- Webstobe GmbH
- Webtech AG
- wow! solution
- XIMA MEDIA GmbH

## 4.4 Archive

### 4.4.1 Apache Solr for TYPO3 - Console tools 4.0

We are happy to release EXT:solrconsole 4.0.0. The focus of this release was the compatibility with TYPO3 10 LTS and EXT:solr v11.0.x.

#### New in this release

##### [TASK] Remove removed commands from documentation

Removed following commands from documentation:

- *`solr:connection:update`*
- *`solr:connection:flushall`*

### **[TASK] Drop support of legacy site mode**

As already announced in solrconsole 4 the legacy site support is dropped, this commit deletes the deprecated tasks.

The following commands are dropped and no more available:

- *solr:connection:update*
- *solr:connection:flushall*

### **Small improvements and bugfixes**

- [BUGFIX] Fixes for latest symfony console changes
- [BUGFIX] Install all dependencies in one command

### **Contributors**

Like always this release would not have been possible without the help from our awesome community. Here are the contributors to this release.

(patches, comments, bug reports, reviews, ... in alphabetical order)

- Markus Friedrich
- Rafael Kähm
- Timo Hund

Also a big thanks to our partners that have joined the EB2020 program:

- +Pluswerk AG
- .hausformat GmbH
- 3m5. Media GmbH
- 4eyes GmbH
- Agora Energiewende Smart Energy for Europe Platform (SEFEP) gGmbH
- Amedick & Sommer Neue Medien GmbH
- AUSY SA
- b13 GmbH
- BARDEHLE PAGENBERG Partnerschaft mbB
- BIBUS AG Group
- Bitmotion GmbH
- brandung GmbH & Co. KG
- cab services ag
- clickstorm GmbH
- comwrap GmbH
- cron IT GmbH
- CS2 AG
- cyperfection GmbH
- digit.ly GmbH
- Digitale Offensive GmbH Internetagentur
- E-Magineurs
- Eidg. Forschungsanstalt WSL



- FGTCLB GmbH
- FTI Touristik GmbH
- GAYA - Manufacture digitale
- Hochschule für Polizei und öffentliche Verwaltung Nordrhein-Westfalen
- hotbytes GmbH & Co. KG
- IHK Neubrandenburg
- in2code GmbH
- Inotec Sicherheitstechnik GmbH
- jweiland.net
- Kassenzahnärztliche Vereinigung Bayerns (KZVB)
- Kassenärztliche Vereinigung Rheinland-Pfalz
- Landeskriminalamt Thüringen
- LfdA – Labor für digitale Angelegenheiten GmbH
- Macaw Germany Cologne GmbH
- Marketing Factory Consulting GmbH
- Masterflex SE
- mehrwert intermediale kommunikation GmbH
- mm Online Service
- netlogix GmbH & Co. KG
- Open New Media GmbH
- plan.net - agence conseil en stratégies digitales
- plan2net GmbH
- PROFILE MEDIA GmbH
- ressourcenmangel dresden GmbH
- RKW Rationalisierungs- und Innovationszentrum der Deutschen Wirtschaft e. V.
- ruhmesmeile GmbH
- Sandstein Neue Medien GmbH
- Stadt Wien - Wiener Wohnen Kundenservice GmbH
- Stefan Galinski Internetdienstleistungen
- TOUMORØ
- Typoheads GmbH
- unternehmen online GmbH & Co. KG
- VisionConnect GmbH
- werkraum Digitalmanufaktur GmbH
- WIND Internet
- zimmer7 GmbH

#### **4.4.2 Apache Solr for TYPO3 - Console tools 3.0**

We are happy to release EXT:solrconsole 3.0.0. The focus of this release was the compatibility with EXT:solr v10.0 and the site handling support.

## **New in this release**

### **[TASK] Make compatible with EXT:solr 10**

Makes solrconsole compatible with EXT:solr 10 by removing commands in none legacy mode

## **Contributors**

Like always this release would not have been possible without the help from our awesome community. Here are the contributors to this release.

(patches, comments, bug reports, reviews, ... in alphabetical order)

- Timo Hund

Also a big thanks to our partners that have joined the EB2019 program:

- 21TORR GmbH
- 3m5, Media GmbH
- Absolut Research GmbH
- AgenturWebfox GmbH
- Amedick & Sommer Neue Medien GmbH
- arndtteunissen GmbH
- Arrabiata Solutions GmbH
- artif GmbH & Co. KG
- Atol Conseils & Développements
- b13 GmbH
- bgm business websolutions GmbH & Co KG
- Bitmotion GmbH
- BIBUS AG Group
- Bitmotion GmbH
- Columbus Interactive GmbH
- Consulting Piezunka und Schamoni - Information Technologies GmbH
- cosmoblond GmbH
- CS2 AG
- datamints GmbH
- Diesel Technic AG
- Die Medialen GmbH
- Direction des Systèmes d'Information - Département du Morbihan
- dörler engineering services
- E-Magineurs
- Fachhochschule für öffentliche Verwaltung NRW Zentralverwaltung
- fixpunkt werbeagentur gmbh
- Flowd GmbH
- Frequentis Comsoft GmbH
- GAYA - La Nouvelle Agence

- Gernot Leitgab
- Getdesigned GmbH
- .hausformat GmbH
- Haute école de travail social et de la santé - EESP
- Hirsch & Wölfl GmbH
- Hochschule Furtwangen
- Hypo Tirol Bank AG
- Intera Gesellschaft für Software-Entwicklung mbH
- interactive tools GmbH - Agentur für digitale Medien
- internezzo ag
- ireresults gmbh
- ITK Rheinland
- LOUIS INTERNET GmbH
- Kassenärztliche Vereinigung Bayerns (KZVB)
- KONVERTO AG
- kraftwerk Agentur für neue Kommunikation GmbH
- Landesinstitut für Schule und Medien Berlin-Brandenburg
- Libéo
- LINGNER CONSULTING NEW MEDIA GMBH
- MaxServ B.V.
- McLicense GmbH
- MeinEinkauf AG
- NEW.EGO GmbH
- medien.de mde GmbH
- mehrwert intermediale kommunikation GmbH
- mellowmessage GmbH
- mentronic . Digitale Kommunikation
- MOSAIQ GmbH
- pietzpluswild GmbH
- plan2net GmbH
- plan.net - agence conseil en stratégies digitales
- Proud Nerds
- +Pluswerk AG
- punkt.de GmbH
- Redkiwi
- ressourcenmangel dresden GmbH
- rrdata
- RKW Rationalisierungs- und Innovationszentrum der Deutschen Wirtschaft e.V.
- Site'nGo

- SIWA Online GmbH
- Stadt Wien - Wiener Wohnen Kundenservice GmbH
- Stadtverwaltung Villingen-Schwenningen
- Stefan Galinski Internetdienstleistungen
- Studio Mitte Digital Media GmbH
- TOUMORO
- Ueberbit GmbH
- WACON Internet GmbH
- webconsulting business services gmbh
- webschuppen GmbH
- Webstobe GmbH
- webit! Gesellschaft für neue Medien mbH
- wegewerk GmbH
- werkraum Digitalmanufaktur GmbH
- XIMA MEDIA GmbH

Special thanks to our premium EB 2019 partners:

- jweiland.net
- sitegeist media solutions GmbH

### 4.4.3 Apache Solr for TYPO3 - Console tools 2.0

We are happy to release EXT:solrconsole 2.0.0. The focus of this release was the compatibility with EXT:solr 9.0 and EXT:solrfal

#### New in this release

##### [TASK] Add command `solr:connection:flushall`

Adds a new command `solr:connection:flushall` that deletes all connections from the `sys_registry`

##### [TASK] Have shared base classes for `solr` and `solrfal` commands

Adds `AbstractCommand`, `AbstractSolrCommand` and `AbstractSolrfalCommand` to allow implementation of shared functionality

##### [TASK] Optimize connection update for all sites

- Initializes the connection one by one, instead all in one call
- This has the advantage that you get an interactive progress on the command line

##### [FEATURE] Add new command `solr:index:verify`

Adds a new command `'solr:index:verify'` to the console. This command helps to check the differences between `solr` and `TYPO3`, it can delete documents from `solr` that do not exist in `TYPO3` and queues documents in `TYPO3` that are missing in `Solr`.

##### [TASK] Show read and write connections in `solr:connection:get`

Adapts the `get` command to show the read and the write connections

#### **[TASK] Add command solrfal:queue:progress**

Adds command solrfal:queue:progress

#### **[TASK] Add command solrfal:queue:index**

Adds the command solrfal:queue:index

#### **[TASK] Add command solrfal::queue::get**

Adds the command solrfal:queue:get

#### **[TASK] Implement command solrfal:queue:delete**

Implements the command solrfal:queue:delete

#### **[TASK] Add implementation for solrfal::queue::reset-errors**

#### **[TASK] Make compatible with EXT:solr 9.0.0**

Applies the required changes for the compatibility with EXT:solr 9 and Solarium

#### **Small improvements and bugfixes**

- [TASK] Add documentation for solr:connection:flushall
- [BUGFIX] Wrong colors for errors used
- [TASK] Apply changes from ext:solr 9.0.0-dev regarding site entity

#### **Contributors**

Like always this release would not have been possible without the help from our awesome community. Here are the contributors to this release.

(patches, comments, bug reports, reviews, ... in alphabetical order)

- Jens Jacobsen
- Timo Hund

Also a big thanks to our partners that have joined the EB2019 program:

- Amedick & Sommer Neue Medien GmbH
- BIBUS AG Group
- Bitmotion GmbH
- CS2 AG
- Gernot Leitgab
- Getdesigned GmbH
- Hirsch & Wölfl GmbH
- ITK Rheinland
- Kassenärztliche Vereinigung Bayerns (KZVB)
- TOUMORO
- Ueberbit GmbH
- XIMA MEDIA GmbH
- b13 GmbH

- bgm business websolutions GmbH & Co KG
- datamints GmbH
- medien.de mde GmbH
- mehrwert intermediale kommunikation GmbH
- mellowmessage GmbH
- plan2net GmbH
- punkt.de GmbH

Special thanks to our premium EB 2019 partners:

- jweiland.net
- sitegeist media solutions GmbH

#### **4.4.4 Apache Solr for TYPO3 - Console tools 1.0**

We are happy to release EXT:solrconsole 1.0.0.

##### **New in this release**

##### **[TASK] Initial release of solrconsole.**

Initial release of solrconsole.

Solrconsole provides a powerful CLI for EXT:solr to automate maintenance tasks

##### **[TASK] Optimize ext\_emconf.php**

- Allow to install with TYPO3 9
- Remove dependency to scheduler

##### **[TASK] Add solr:connection:get command**

Adds the command “solr:connection:get” including documentation and tests

##### **[TASK] Add command solr:queue:index**

Adds the command solr:queue:index Adds an integration test for a console workflow (init, index, progress, delete index, delete queue items)

##### **[BUGFIX] Build should fail when unit tests fail**

- Evaluates the exit code of php unit in the cibuild.sh script
- Marks the missing tests as incomplete

##### **[TASK] Implement the command “solr:queue:progress”**

- Implements the command “solr:queue:progress” that can be used to render the progress
- Adds documentation and testcase

##### **[TASK] Add solr:connection:update command**

##### **[TASK] Add command solr:queue:reset-errors**

##### **[TASK] Refactor SolrQueueDelete and SolrQueueGet command to implement loadOptions method**

**[TASK] Implement the command “solr:index:get”**

**[TASK] Add command “solr:queue:get”**

**[TASK] Add first implementation for “solr:queue:delete”**

**[TASK] Implement command solr:queue:initialize**

#### **Small improvements and bugfixes**

- [TASK] Adjust composer dependencies
- [TASK] Fix spelling and headline of solr:index:delete command docs
- [TASK] Update tests for current solr:index:\* commands
- [TASK] Add exception handling
- [TASK] Update phpdoc
- [TASK] Apply formatting
- [TASK] Minor corrections to testing environment
- [TASK] Remove double // in paths
- [TASK] Apply correct test names and format the test xml files
- [TASK] Implement the command solr:index:delete
- [TASK] Refactor confirmation abort check
- [TASK] Fix variable type for command in SolrIndexGetCommandTest
- [TASK] Fix options list for solr:index:get in docs
- [TASK] Add missing phpdoc params
- [TASK] Remove unused field
- [TASK] Remove :void from setLabel method
- [BUGFIX] Fixes the description in the solr:queue:get command
- [TASK] Streamline confirmation output for the options lists
- [TASK] Add Jens Jacobsen to composer.json
- [TASK] Add public method to customize helper labels
- [TASK] Finished command “solr:queue:delete”
- [TASK] Add documentation for “solr:queue:initialize”
- [TASK] Added something to the readme
- [TASK] Initial commit

#### **Contributors**

Like always this release would not have been possible without the help from our awesome community. Here are the contributors to this release.

(patches, comments, bug reports, reviews, ... in alphabetical order)

- Jens Jacobsen
- Timo Hund

Also a big thanks to our partners that have joined the EB2018 program:

- Albervanderveen
- Amedick & Sommer

- AUSY SA
- bgm Websolutions GmbH
- Citkomm services GmbH
- Consulting Piezunka und Schamoni - Information Technologies GmbH
- Cows Online GmbH
- food media Frank Wörner
- FTI Touristik GmbH
- Hirsch & Wölfl GmbH
- Hochschule Furtwangen
- JUNGMUT Communications GmbH
- Kreis Coesfeld
- LOUIS INTERNET GmbH
- L.N. Schaffrath DigitalMedien GmbH
- Mercedes AMG GmbH
- Petz & Co
- Pluswerk AG
- ressourcenmangel an der panke GmbH
- Site'nGo
- Studio B12 GmbH
- systime
- Talleux & Zöllner GbR
- TOUMORO
- TWT Interactive GmbH

Special thanks to our premium EB 2018 partners:

- b13 <http://www.b13.de/>
- dkd <http://www.dkd.de/>
- jweiland.net <http://www.jweiland.net/>

Thanks to everyone who helped in creating this release!

## **Outlook**

In the next release we want to focus on the move to solarium and the support of the latest Apache Solr version.



## INDEX

### A

Archive, [19](#)